



#### FortiGate® 800D

Next Generation Firewall Internal Segmentation Firewall



# FortiGate 800D

## The Fortinet Enterprise Firewall Solution

The Fortinet Enterprise Firewall Solution delivers end-to-end network security with one platform, one network security operating system and unified policy management with a single pane of glass — for the industry's best protection against the most advanced security threats and targeted attacks.

# One Enterprise Firewall Solution across the Extended Enterprise

The FortiGate family of network appliances represents the industry's broadest range of enterprise firewall platforms. FortiGate is based on FortiASIC, a purpose-built integrated architecture that provides extremely high throughput and exceptionally low latency, while delivering industry-leading security effectiveness and consolidation which is routinely validated by independent real-world tests. Targeted for enterprises, the FortiGate 800D contains 10 GE port connectivity along with superior security inspection functionality, deep visibility and high performance.

# Highlights

|                        | Firewall | IPS      | NGFW     | Threat Protection | Interfaces                                 |  |
|------------------------|----------|----------|----------|-------------------|--|--|
| Enterprise Traffic Mix |          |          |          |                   |  |  |
| FG-800D                | 36 Gbps  | 4.2 Gbps | 3.5 Gbps | 2.4 Gbps          | Multiple 10 GE SFP+,<br>GE SFP and GE RJ45 |  |







Validated Security

One Network 0S

Performance





Single Pane of Glass

Universal Platform Support



FortiGate appliances, interconnected with the Fortinet Security Fabric, form the backbone of the Fortinet Enterprise Solution

forti.net/sf
























## **HARDWARE**

#### FortiGate 800D







#### Interfaces

- 1. USB Ports
- 2. Console Port
- 3. 2x GE RJ45 Management Ports
- 4. 2x Bypass GE RJ45 Pairs

- 5. 20x GE RJ45 Ports
- 6. 8x GE SFP Slots
- 7. 2x 10 GE SFP+ Slots



# Powered by FortiASICs

- Custom FortiASIC<sup>™</sup> processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- FortiASIC processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

### **Network Processor**

Fortinet's new, breakthrough FortiASIC NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 3 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

#### Content Processor

The FortiASIC CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

# 10 GE Connectivity

High speed connectivity is essential for network security segmentation. The FortiGate 800D provides 10 GE slots that simplify network designs without relying on additional devices to bridge desired connectivity.

2 www.fortinet.com

## **SOFTWARE**

#### **FortiOS**

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100,
  AV Comparatives and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Detect, contain and block advanced attacks automatically in minutes with integrated advanced threat protection framework.
- Solve your networking needs with extensive routing, switching, WiFi, LAN and WAN capabilities.
- Activate all the ASIC-boosted capabilities you need on the fastest firewall platform available.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

## **SERVICES**

# FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- Real-time Updates 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- Security Research FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- Validated Security Intelligence Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.

# FortiCare<sup>™</sup> Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- Enhanced Support For customers who need support during local business hours only.
- Comprehensive Support For customers who need aroundthe-clock mission critical support, including advanced exchange hardware replacement.
- Advanced Services For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- Professional Services For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



#### **Enterprise Bundle**

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with the FortiGuard Enterprise Bundle. This bundle contains the full set of FortiGuard security services plus FortiCare service and support offering the most flexibility and broadest range of protection all in one package.

# **SPECIFICATIONS**

|  | FORTIGATE 800D    |  |
|--|-------------------|--|
| Interfaces and Modules                               | TOTTIGATE 0000    |  |
| Hardware Accelerated 10 GE SFP+ Slots                | 2                 |  |
| Hardware Accelerated GE SFP Slots                    | 8                 |  |
| Hardware Accelerated GE RJ45 Ports                   | 20                |  |
| Accelerated GE RJ45 Bypass Interfaces                | 4                 |  |
| GE RJ45 Management / HA Ports                        | 2                 |  |
| USB Ports (Client / Server)                          | 1/2               |  |
| Console Port   | 1                 |  |
| Onboard Storage                                      | 240 GB            |  |
| Included Transceivers                                | 2x SFP (SX 1 GE)  |  |
|  | ZX OFF (OX F GE)  |  |
| System Performance and Capacity                      |                   |  |
| IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) | 36 / 36 / 22 Gbps |  |
| IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP) | 36 / 36 / 22 Gbps |  |
| Firewall Latency (64 byte, UDP)                      | 3 µs              |  |
| Firewall Throughput (Packet per Second)              | 33 Mpps           |  |
| Concurrent Sessions (TCP)                            | 5 Million         |  |
| New Sessions/Second (TCP)                            | 280,000           |  |
| Firewall Policies                                    | 10,000            |  |
| IPsec VPN Throughput (512 byte)                      | 20 Gbps           |  |
| Gateway-to-Gateway IPsec VPN Tunnels                 | 2,000             |  |
| Client-to-Gateway IPsec VPN Tunnels                  | 10,000            |  |
| SSL-VPN Throughput                                   | 2.2 Gbps          |  |
| Concurrent SSL-VPN Users (Recommended Maximum)       | 5,000             |  |
| IPS Throughput (HTTP / Enterprise Mix) 1             | 8 / 4.2 Gbps      |  |
| SSL Inspection Throughput <sup>2</sup>               | 4 Gbps            |  |
| Application Control Throughput <sup>3</sup>          | 6 Gbps            |  |
| NGFW Throughput <sup>4</sup>                         | 3.5 Gbps          |  |
| Threat Protection Throughput <sup>5</sup>            | 2.4 Gbps          |  |
| CAPWAP Throughput <sup>6</sup>                       | 5.5 Gbps          |  |
| Virtual Domains (Default / Maximum)                  | 10 / 10           |  |

|   | FORTIGATE 800D   |
|---|--|
| Maximum Number of FortiAPs (Total / Tunnel) | 1024 / 512   |
| Maximum Number of FortiTokens               | 1,000  |
| Maximum Number of Registered Endpoints      | 2,000  |
| High Availability Configurations            | Active-Active, Active-Passive, Clustering                          |
| Dimensions and Power                        |  |
| Height x Width x Length (inches)            | 1.77 x 17.0 x 16.4   |
| Height x Width x Length (mm)                | 45 x 432 x 416   |
| Weight                                      | 19.0 lbs (8.6 kg)  |
| Form Factor                                 | 1 RU   |
| Wall Mountable                              | No   |
| AC Power Supply                             | 100-240V AC, 60-50 Hz  |
| Power Consumption (Average / Maximum)       | 128 W / 187 W  |
| Current (Maximum)                           | 110V/7A, 220V/3.5A   |
| Heat Dissipation                            | 636 BTU/h  |
| Redundant Power Supplies                    | (Hot Swappable) optional   |
| Operating Environment and Certifications    |  |
| Operating Temperature                       | 32-104°F (0-40°C)  |
| Storage Temperature                         | -31–158°F (-35–70°C)   |
| Humidity                                    | 20–90% non-condensing  |
| Operating Altitude                          | Up to 7,400 ft (2,250 m)   |
| Compliance                                  | FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB                  |
| Certifications                              | ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN;<br>USGv6/IPv6 |

Note: All performance values are "up to" and vary depending on system configuration. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. 1. IPS performance is measured using 1 Mbyte HTTP and Enterprise Traffic Mix. 2. SSL Inspection is measured with IPS enabled and HTTP traffic, using TLS v1.2 with AES256-SHA. 3. Application Control performance is measured with 64 Kbytes HTTP traffic. 4. NGFW performance is measured with IPS and Application Control enabled, based on Enterorise Traffic Mix. 5, Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix. 6. CAPWAP performance is based on 1444 byte

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

# ORDER INFORMATION

| Product  | SKU              | Description  |
|--|------------------|--|
| FortiGate 800D                                       | FG-800D          | 22x GE RJ45 ports, 4x GE RJ45 with Bypass Protection, 8x GE SFP slots, 2x 10 GE SFP+ slots, FortiASIC NP6 and CP8 hardware accelerated, 240 GB Internal onboard SDD storage. |
| Optional Accessories/Spares                          | SKU              | Description  |
| 1 GE SFP LX Transceiver Module                       | FG-TRAN-LX       | 1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.  |
| 1 GE SFP RJ45 Transceiver Module                     | FG-TRAN-GC       | 1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.   |
| 1 GE SFP SX Transceiver Module                       | FG-TRAN-SX       | 1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.  |
| 10 GE SFP+ Transceiver Module, Short Range           | FG-TRAN-SFP+SR   | 10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.  |
| 10 GE SFP+ Transceiver Module, Long Range            | FG-TRAN-SFP+LR   | 10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.  |
| 10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft | SP-CABLE-ADASFP+ | 10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.   |
| AC Power Supply                                      | SP-FG600C-PS     | AC power supply for FG-600C, FG-800C, FG-800D and FG-1000C.  |



GLOBAL HEADQUARTERS Fortinet Inc. 899 Kifer Road Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein Valbonne 06560 Alpes-Maritimes, France Tel: +33.4.8987.0500

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2016 Fortinet, Inc. All rights reserved. Forticate®, FortiCare® and FortiCuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary and may be significantly liss effective than the metrics stated herein. Network variables, different network environments and other conditions may negatively affect performance results and other metrics stated herein. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract signed by Fortinet's General Coursel, with a purchaser that expressly warrants that the identified product will perform an excepting performance metrics expressly identified in such binding on written contract and any such commitment shall be limited by the disclaimers in this paragraph and other limitations in the written contract. For absolute clarity, any such warranty will be limited by performance metrics expressly identified in such binding on written contract. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests, and in no event will Fortinet be responsible for events or issues that are outside of its reasonable control. Notwithstanding anything to the contrary, Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. FST-PROD-DS-GT8H